



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Maharashtra)

To,

The Business Head
 KOLTE PATIL I VEN TOWNSHIPS (PUNE) LTD.
 city bay, 7th floor Dhole patil road camp,Pune -411001

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/71039/2021 dated 29 Jan 2022. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|--|
| 1. EC Identification No. | EC22B039MH138203 |
| 2. File No. | SIA/MH/MIS/71039/2021 |
| 3. Project Type | Expansion |
| 4. Category | B1 |
| 5. Project/Activity including Schedule No. | 8(b) Townships and Area Development projects. |
| 6. Name of Project | Expansion of Integrated Township project "Life Republic" |
| 7. Name of Company/Organization | KOLTE PATIL I VEN TOWNSHIPS (PUNE) LTD. |
| 8. Location of Project | Maharashtra |
| 9. TOR Date | 16 Jun 2021 |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 18/06/2022

(e-signed)
 Manisha Patankar Mhaskar
 Member Secretary
 SEIAA - (Maharashtra)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/71039/2021
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To

M/s.KOLTE PATIL IVEN TOWNSHIPS (PUNE) LTD.,
Mouze Jambe, Nere & Marunji respectively,
Tal. Mulshi, Dist. Pune.

Subject : Environmental Clearance for Expansion of Integrated Township project "Life Republic" New 86 [Old Survey Nos. 78/1 part, 80 part, 81/1/A part, 81/1B, 81/2, 82/1 part, 82/2, 82/3, 83 part, 86, 107/1, 107/2 part, 110/1A part, 110/2 part, 110/1/B part, 111/1A/1 part, 111/1A/2 part, 111/1B part, 111/2 part, 112/1 part, 113/1A/1 part, 113/1A/1B/1 part, 113/1A/1B, 113/2, 113/1A/2, 113/1B, 114/1 part, 114/2, 115/1part, 117 part, 118/1 part, 120/3, 121 part, 122, 123], New 74/B [Old Survey Nos. 74/2, 74/3, 74/9/2], 78/1Part, 80 part, 81/1/A part, 82/1 part, 83Part, 85/1, 102/1, 107/2 part, 110/1/B part, 111/1A/1 part, 111/1A/2 part, 111/1B part, 111/2 part, 113/1A/1 part, 113/1A/1B/1 part, 115/1part, 117 part, 118/1 part, 121 part, 77/1(Part), 77/2, 78/1(part), 80/1(Part), , 83/2(Part), 90/7/1, 90/9, 91/1(Part), 91/2, 91/3, 91/4(Part), 91/5, 91/6, 91/7(Part), 91/8, 92/1A, 92/2A(Part), 92/3, 92/4, 92/5, 92/6(Part), 92/7, 92/8(Part), 93, 95, 96/1/1(Part), 96/1/2(Part), 96/1/3, 96/2/1, 96/2/2(Part), 96/3(Part), 96/4(Part), 96/5/2(Part), 98(Part), 98/2, 100/1/1, 100/1/2, 100/2, 101(Part), 112/1(Part), 112/2, 114/1(Part), 119, 120/1, 120/2, 120/4/1, 120/4/2, 124/1/1, 124/1/2, 124/2, 125/1, 126/1(Part), 126/2, 127/1/1, 127/1/2(Part), 99/1/2(Part), , 113/1A/1B/1B(Part), 90/10(Part), 131/8(Part), 131/9, 131/10, 102/2(Part), 126/2/1, 73/9, 87/2, 24/3, 24/5, 25/1, 25/2, 26/1, 26/2, 26/4, 26/5, 26/6, 27/1, 27/3(Part), 69/1, 69/2/1, 69/2/2, 69/2/3, 69/2/4, 69/2/5, 69/2/6, 69/2/7, 69/2/8, 71(Part), 74/7(Part), 74/8, 74/9/1(Part) at Mouze Jambe, Nere & Marunji respectively, Tal. Mulshi, Dist. Pune 411057 by M/s.KOLTE PATIL IVEN TOWNSHIPS (PUNE) LTD.

Reference : Application no. SIA/MH/MIS/71039/2021

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC- in its nd meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 243rd (Day-4) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/MIS/71039/2021
2.	Name of Project	Expansion of Integrated Township Project "Life Republic"

3.	Project category	8(b) B1	
4.	Type of Institution	Private	
5.	Project Proponent	Name	Kolte Patil Integrated Township Limited (Previously, Kolte Patil I – Ven Townships (Pune) Ltd.)
		Registered office address	7 th floor, City Bay, Dhole Partil Road, Pune - 411001
		Contact Number	020-66226500
		e-mail	amruta.kale@koltepatil.com
6.	Consultant	ABC Techno Labs India Pvt Ltd (Accredited by NABET vide no NABET/EIA/1922/RA 0155 dated 2 nd March 2020 valid upto 24 th May 2022)	
7.	Applied for	Expansion	
8.	Details of previous EC	Previous Latest EC from MOEFCC vide no. File no. 21-75/2020 -IA-III dated 13 th January 2021	
9.	Location of the project	<p>New 86 [Old Survey Nos. 78/1 part, 80 part, 81/1/A part, 81/1B, 81/2, 82/1 part, 82/2, 82/3, 83 part, 86, 107/1, 107/2 part, 110/1A part, 110/2 part, 110/1/B part, 111/1A/1 part, 111/1A/2 part, 111/1B part, 111/2 part, 112/1 part, 113/1A/1 part, 113/1A/1B/1 part, 113/1A/1B, 113/2, 113/1A/2, 113/1B, 114/1 part, 114/2, 115/1 part, 117 part, 118/1 part, 120/3, 121 part, 122, 123],</p> <p>New 74/B [Old Survey Nos. 74/2, 74/3, 74/9/2], 78/1Part, 80 part, 81/1/A part, 82/1 part, 83Part, 85/1, 102/1, 107/2 part, 110/1/B part, 111/1A/1 part, 111/1A/2 part, 111/1B part, 111/2 part, 113/1A/1 part, 113/1A/1B/1 part, 115/1 part, 117 part, 118/1 part, 121 part, 77/1(Part), 77/2, 78/1(part), 80/1(Part), , 83/2(Part), 90/7/1, 90/9, 91/1(Part), 91/2, 91/3, 91/4(Part), 91/5, 91/6, 91/7(Part), 91/8, 92/1A, 92/2A(Part), 92/3, 92/4, 92/5, 92/6(Part), 92/7, 92/8(Part), 93, 95, 96/1/1(Part), 96/1/2(Part), 96/1/3, 96/2/1, 96/2/2(Part), 96/3(Part), 96/4(Part), 96/5/2(Part), 98(Part), 98/2, 100/1/1, 100/1/2, 100/2, 101(Part), 112/1(Part), 112/2, 114/1(Part), 119, 120/1, 120/2, 120/4/1, 120/4/2, 124/1/1, 124/1/2, 124/2, 125/1, 126/1(Part), 126/2, 127/1/1, 127/1/2(Part), 99/1/2(Part), , 113/1A/1B/1B(Part), 90/10(Part), 131/8(Part), 131/9, 131/10, 102/2(Part), 126/2/1, 73/9, 87/2, 24/3, 24/5, 25/1, 25/2, 26/1, 26/2, 26/4, 26/5, 26/6, 27/1, 27/3(Part), 69/1, 69/2/1, 69/2/2, 69/2/3, 69/2/4, 69/2/5, 69/2/6, 69/2/7, 69/2/8, 71(Part), 74/7(Part), 74/8, 74/9/1(Part) at Mouze Jambe, Nere & Marunji respectively, Tal. Mulshi, Dist. Pune 411057.</p>	
10.	Latitude and Longitude	Latitude 18°37'16.40" N Longitude 73°42'50.78" E	
11.	Total Plot Area (m ²)	15,81,344.18	
12.	Deductions (m ²)	1,03,027.86	

13.	Net Plot area (m ²)	14,78,176.82					
14.	Proposed FSI area (m ²)	15,31,200.00					
15.	Proposed Non-FSI area (m ²)	9,68,800.00					
16.	Total BUA (m²)	25,00,000.00					
17.	TBUA (m ²) approved by Planning Authority till date	15,38,870 SQM (vide no. BMU/C.R. No. 112/19-20/ Mouze Jambe, Marunji, Nere Survey No/G. No/ CTS74 (P) & others. approval date 24.02.2020)					
18.	Ground coverage (m ²) & %	3,47,109 sq.m and 23.05%					
19.	Total Project Cost (Cr)	8716 Cr					
20.	CER as per MoEF& CC circular dated 01/05/2018	Activity	Location	Cost (Rs.)	Duration		
		CER will be done as and if mandated so by SEAC and SEIAA					
21.	Details of Building Configuration : <Please use following legends: Floor = F , Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh>						
	Previous EC / Existing Building		Proposed Configuration		Reason for Modification / Change		
	Bldg Name	Configuration	Ht.(m)	Bldg. Name	Configuration	Ht.(m)	
	Sectors - Residential (21) , Educational (2), Community market (2), Public Assembly facility (17), Public utility (10) Social Housing (3) with maximum building ht. 73.60 m		Sectors - Residential (29) , Educational (2), Community market (2), Public Assembly facility (17), Public utility (10) Social Housing (3) with maximum building ht. 73.60 m		Expansion.		
22	Total No. of Tenements		<div>➤ Tenements 19,727 , Row House 38, Twin Bungalows 47, Bungalow 1, Plotting 195</div> <div>➤ Commercial Buildings (Including Schools, hospital, shops, offices, Fire Station, police station, Amenity Buildings & Public Utility Buildings):69</div> <div>➤ No. of shops: 1235</div> <div>➤ Parking structure: 31</div> <div>➤ Club House: 32</div>				
23	Water Budget		Dry Season (CMD)		Wet Season (CMD)		
			Fresh Water	10000	Fresh Water	10000	
			Recycled	8425	Recycled	6550	
			HVAC	0	HVAC	0	
			Swimming pool	0	Swimming Pool	0	

		Flushing	6550	Flushing	6550
		Total	18425	Total	16550
		Waste water generation	14895	Waste water generation	14895
24	Water Storage Capacity for Firefighting / UGT	OHT (Domestic + Flushing + Fire) = 3300 KLD UGT: Domestic : 8261 KL, Fire storage : 12168 KL			
25	Source of water	River Pavana			
26	Rainwater Harvesting (RWH)	Level of the Ground Water in meters	Post Monsoon- 5 to 6 m Pre Monsoon- 15-20 m		
		Size and no of RWH tank(s) and Quantity:	NA		
		Quantity and size of recharge pits:	100 Size: 2mX 2m X 2m		
		Details of UGT tanks if any:	---		
27	Sewage and Waste water	Sewage Generation (CMD)	14895		
		STP technology	MBBR		
		Capacity of STP (CMD)	15160 KLD cumulative capacity of all STPs		
28.	Solid Waste Management during construction phase	Type	Quantity	Treatment / Disposal	
		Dry Waste	33	Through authorized vendor	
		Wet waste	27	Organic waste composter	
		Construction waste	1% of raw material	For filling on same site	
29.	Solid waste Management during Operation phase	Type	Quantity	Treatment / Disposal	
		Dry Waste	26,600	Through authorized vendor	
		Wet waste	32,200	Organic waste composter	
		Hazardous waste	NA	NA	
		Biomedical waste	NA	NA	
		E- waste	102.61 T/year	Through authorized vendor	
		STP sludge	830 kg/day	Organic waste composter	
30.	Green Belt	Total RG area (m2)		2,00,362.73	

	Development	Existing trees on plot	7775	
		Number of trees to be planted	13,085	
		Number of trees to be cut	0	
		Number of trees to be transplanted	0	
31.	Power requirement	Source of power supply	MSEDCL	
		During Construction Phase (Demand Load)	100 KW	
		During Operation phase (Connected load)	1,54,326 KW	
		During Operation phase (Demand load)	76,665 KW	
		Transformer	630 KVA X 88 and 315 KVA X 43	
		DG set	Total 57 DG set	
		Fuel Used	Diesel	
32.	Details of Energy Savings			
	Energy calculations against conventional Base case	Savings through Energy Conservation Measures: LED, Motion sensors & smart controls, Efficient HVAC System, Energy Efficient equipments, Efficient Pumps and motors, Efficient Lifts & Escalators, Water Heating	27.68%	
	Savings through Renewable energy	Hot water on Solar and Solar PV	6.13 %	
33	Environmental Management plan budget during construction phase	Type	Details	Cost (lakhs)
		Capital	Erosion control	5
			Site Safety & Site Sanitation	4
			Disinfection & Health check up	3
			Environmental Monitoring	2.5
		O & M cost	Erosion control	0.25
			Site Safety & Site Sanitation	0.2
			Disinfection & Health check up	0.15
			Environmental Monitoring	0.125

34	Environmental Management plan budget during construction phase	Component	Details	Capital Cost (Lakhs)	O & M Cost (Lakhs)
		Storm Water	Internal Piping up to final disposal	3800.00	1000.00
		Sewage Treatment	Construction and installation	3600.00	1400.00
		Water treatment	Installation and construction	2600.00	25.00
		RWH	Construction of pits and internal disposal	90.00	6.00
		Swimming pool	Installation & Construction	1400.00	2.00
		Solid waste	OWC	1800.00	60.00
		Hazardous Waste	--	--	--
		E waste	--	--	--
		Green belt development	Plantation	7300.00	21.00
		Energy Saving	Energy Saving Measures	3100.00	40.00
		Environmental Monitoring	Monitoring	5.00	3.00
		Disaster Management plan			
		ETP	Installation and construction	3.00	2.00
		Fire Station	Installation and construction	2300	60.00
35.	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)
		4 Wheeler	9834	9834	2,89,381.43
		2 Wheeler	53,864	53,864	1,61,592.08
		Bicycles	55,958	55,958	78,341.24

36	Details of Court cases/litigations w.r.t. the project and project location if any	Yes, Attached as separate sheet (Annexure-1)
----	---	--

3. Proposal is an expansion of existing EC. PP has obtained earlier EC from MOEFCC vide no. File no.21-75/2020 -IA-III dated 13th January 2021 for BUA of 1890091.83 Sq.mt. Proposal has been considered by SEIAA in its 243rd (Day-4) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit certified Compliance report from Regional Office MoEFCC Nagpur.
2. PP to submit the area statement showing the potential of the plot & utilization of plot area and unutilized plot area.
3. It is noted that, 9 STPs & 2 OWC are working, PP to submit the analysis report for the same.
4. As agreed by PP, PP to provide the sufficient common charging points for already occupied buildings.
5. PP to ensure that, there should be 80-85 % of indigenous plantation in landscape plan.
6. As agreed by PP, PP to explore to generate maximum solar energy, use it and if possible, remaining energy can be share with state's grid.
7. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.
8. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
4. SEIAA after deliberation decided to grant EC for – FSI- 1531200.00 m2, Non FSI- 968800.00m2 and Total BUA- 25,00,000.00m2 (Plan approval-BMU/CR.No.112/19-20/Mouze Jambe, Marunji, Nere/S.no Gut no.CTS 74 (P) & Others, dated- 24.02.2020).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during

construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.

- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection

measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.

- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://parivesh.nic.in>
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.


C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental

protection measures required, if any.

- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Manisha Patankar
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, PMRDA
7. Regional Officer, Maharashtra Pollution Control Board, Pune.

